रजिस्ट्री सं० डी—(डीएन)—73

REGISTERED NO. D—(DN)—73

भारत का राजपत्र
The Gazette of India

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं० 35] नई दिल्ली, शनिवार, अगस्त 31, 1985 (भाद्रपद 9, 1907)

No. 35] NEW DELHI, SATURDAY, AUGUST 31, 1985 (BHADRA 9, 1907)

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में रखा जा सके

[Separate paging is given to this Part in order that it may be filed as a separate compilation]

भाग III—खण्ड 2

[PART III—SECTION 2]

पेटेन्ट कार्यालय द्वारा जारी की गई पेटेन्टों और डिजाइनों से सम्बन्धित अधिसूचनाएं और नोटिस

[Notifications and Notices issued by the Patent Office relating to Patents and Designs]

THE PATENT OFFICE

PATENTS AND DESIGNS

Calcutta, the 31st August 1985

ADDRESS AND JURISDICTION OF OFFICES OF THE PATENT OFFICE

The Patent Office has its Head Office at Calcutta and Branch Offices at Bombay, Delhi and Madras having territorial jurisdiction on a zonal basis as shown below :—

Patent Office Branch,
Todi Estates, III Floor,
Lower Parel (West),
Bombay-400013.

The States of Gujrat, Maharashtra, and Madhya Pradesh, and the Union Territories of Goa, Daman and Diu and Dadra and Nagar Haveli.

Telegraphic address "PATOFFICE".

Patent Office Branch,
Unit No. 401 to 405, III Floor,
Municipal Market Building,
Saraswati Marg Karol Bagh,
New Delhi-110 005.

The States of Haryana, Himachal Pradesh, Jammu and Kashmir, Punjab, Rajasthan and Uttar Pradesh and the Union Territories of Chandigarh and Delhi.

Telegraphic address "PATENTOFIC".

Patent Office Branch,
61, Wallajah Road,
Madras-600 002.

The States of Andhra Pradesh, Karnataka, Kerala, Tamilnadu, and the Union Territories of Pondicherry, Laccadive, Minicoy and Aminidivi Islands.

Telegraphic address "PATENTOFIS".

Patent Office, (Head Office),
214, Acharya Jagdish Bose Road,

Rest of India, Calcutta-700 017.

Telegraphic address "PATENTS".

All applications, notices, statements or other documents or any fees required by the Patents Act, 1970 or the Patents Rules, 1972 will be received only at the appropriate Offices of the Patent Office.

Fees :—The fees may either be paid in cash or may be sent by Money Order or Postal Order, payable to the Controller at the appropriate Offices or by bank draft or cheque, payable to the Controller drawn on a scheduled bank at the place where the appropriate office is situated.

SPECIAL NOTICE

Additional address for the Patent Office Calcutta from where main functions are being carried out is given below —

The Patent Office
2nd M. S Office Building
(5th 6th & 7th Floors)
Nizam Palace
234|4, Acharya Jagdish Bose Road
Calcutta 700 020

REGISTRATION OF PATENT AGENTS

The following persons have been registered as Patent Agents —

(1) Shri Babul Mukherjee 40|43 Gautam Nagar, New Delhi 110049

and

(2) Miss Seema Batra F-162 East Kailash New Delhi

APPLICATION FOR PATENT FILED AT THE HEAD OFFICE 214 ACHARYA JAGADISH BOSE ROAD CALCUTTA-17

The dated shown in cresent brackets are the dates claimed under Section 135, of the Act

The 25th July 1985

551|Cal|85 (1) Dipak Kumar Roy (2) Sunil Chandar Mondol Improvements in or relating to tube well strainers of filters [Additional No 596|Cal|83]

The 26th July 1985

552|Cal|85 Dr Upendra K Banik Process for the preparation of gastrointestinal compositions (10th August 1984) Canada

The 29th July 1985

553 Cal|85 University of Illinois Photodynamic Herbicides

554|Cal|85 Sumitomo Chemical Company Limited Method for fluting a metal absorbed on in chelating agent

555|Cal|85 Moli Energy Limited Constant volume lithium battery cell and process

556|Cal|85 The Regents of the University of California Controlled rolling process for dual phase steels and application to rod wire sheet and other shapes

The 30th July 1985

557|Cal|85 Licentia Patent Verwaltungs GmbH and Rheinmetall GmbH Improvements in or relating to wr head

558|Cal|85 Freibacher Chemische Werke, Aktiengesellschaft Method of producing a grinding medium

The 31st July, 1985

559|Cal|85 Canzium Francesco Plant for sorting items with self driven carriages

560|Cal|85 Franz Xaver Huemer Winding Equipment

561|Cal|85 Franz Xaver Huemer Process for the manufacture of a tubular semimanufactured article of plastics for the manufacture of sacks

562|Cal|85 Babcock & Wilcox Company Flame quality monitor

APPLICATIONS FOR PATENTS FILED IN THE PATENT OFFICE BRANCH, AT TODI ESTATES, IIIRD FLOOR SUN MILL COMPOUND, LOWER PAREL (WEST), BOMBAY-400 013

	5-7-1985	
173/BOM/85	Hindustan Lever Ltd. 6th July 1984, Great Britain	Para-Dichlorobenzene-Free Lavatory Cleansing Blocks
174/BOM/85	Do	Nickel/Alumina Catalyst, its preparatiotn and use.
175/BOM/85	Do.	Nickel/Alumina/Silicate Catalyst, its preparation and use.
176/BOM/85	E A Murray 16th July, 1984 Gr. Britain 5th Oct. 1984, Gr. Britain	Clutch
177/BOM/85	Larsen & Toubro Limited	An improved circuit for the d c control of a c electromagnetic device (s).
178/BOM/85	Industrial Electronic Products.	Indicator type porcelain Fuse Cut outs for electrical circuits
	9-7-1985	
179/BOM/85	Ashok Kumar Gupta	Apparatti for sputtering process for coating applications
180/BOM/85	Do	A novel collector panel for use with tubular solar thermal collector elements
181/BOM/85	Ashok Kumar Gupta T V L. Narsimha Rao, S I 22 AT , I V Shirgurkar	Glass heat pipe for extraction of heat from the solar thermal evacuated tube collectors
182/BOM/85	Do	Solar thermal collectors
183/BOM/85	Do	A novel coating for absorbers in solar thermal collectors
	11-7-1985	
184/BOM/85	Ramesh Naraya Nayak	Vehicle transmission with electrical power converter

185/BOM/85	Shashikant K. Bhide		Clutch and gear combined operation system for the automobiles.
		15-7-1985	
186/BOM/95	S.V. Kale		An improved rubber powered free flying model aeroplanes.
		16-7-1985	
187/BOM/85	Dr. S.K. Sanghani		An improvement in the conventional bicycle for an auxilliary driver.

ALTERATION OF DATE

156551. Ante dated to 11th August, 1980.

(201|Mas|82).

COMPLETE SPECIFICATION ACCEPTED

Notice is hereby given that any person interested in opposing the grant of patents on any of the applications concerned, may, at any time within four months of the date of this issue or within such further period not exceeding one month applied for on Form 14 prescribed under Patents Rules. 1972 before the expiry of the said period of four months, give notice to the Controller of Patents on the prescribed Form 15, of such opposition. The written statement of opposition should be filed along with the said notice or withia one month of its date as prescribed in Rule 36 of the Patents Rules, 1972.

"The classifications given below in respect of each specification are according to Indian Classification and International Classification."

A limited number of printed copies of the specifications listed below will be available for sale from the Government of India Book Depot, 8, Kiran Sankar Roy Road, Calcutta, in due course. The price of each specification is Rs. 2|- (postage extra if sent out of India). Requisition for the supply of the printed specifications should be accompanied by the number of the specifications as shown in the following list.

Typed or photo copies of the specifications together with photo copies of the drawings, if any, can be supplied by the Patent Office, Calcutta on payment of the prescribed copying charges which may be ascertained on application to that office. Photo copying charges may be calculated by adding the number of pages in the specification and drawing sheets mentioned below against each accepted specification and multipling the same by four to get the charges as the copying charges per pages are Rs. 4|-.

CLASS : 133-B. 156532.

Int. Cl. H 02 p 1|00, 3|00.

VALVE ACTUATORS HAVING REVERSIBLE POLYPHASE ELECTRIC MOTORS.

Applicant : ROTORK CONTROLS LIMITED, OF ROTORK HOUSE, BRASSMILL LANE, BATH BA1 3 JQ., ENGLAND.

Inventors : 1. JEREMY JOSEPH FRY. 2. DONALD LIONEL HORE.

Application No. 747|Cal|82 filed June 25, 1982.

Convention dated 25th June, 1981 (8119570) and 13th January, 1982 (00881|82) U.K.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

11 claims

A valve actuator having a reversible polyphase electric motor, comprising terminal means for connection to a polyphase electrical power supply, means coupling the terminal means to the motor such that the sense of phase rotation of the power supply at the motor terminals can be reversed and control means operable on said coupling means to permit selection of the direction of rotation of the motor, characterized in that a control circuit for sensing the phase sequence of the electrical supply and operative such that the sense of phase rotation at the motor terminals is in the direction to cause rotation of the motor in either selected direction irrespective of the sense of phase rotation at said terminal means.

Compl. Specn. 17 pages. Drgs. 4 sheets.

CLASS : 68-E_1 & E_3. 156533.

Int. Cl. H 05 b 41|24.

POWER SUPPLY F OR ARC LAMPS.

Applicant : LEE ELECTRIC (LIGHTING) LIMITED, OF 128 WEMBLEY PARK DRIVE, WEMBLEY, MIDDLESEX, UNITED KINGDOM.

Inventors : 1. TIMOTHY WILLIAM BEESTON, 2. LAURENCE STANLEY ATTRILL.

Application No. 873|Cal|82 filed July, 28, 1982.

Convention dated 28th July, 1981 (8123254) U.K.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

12 claims

An improved power supply system for arc lamps, comprising a power source and an inverter, characterised in that the power source is a constant current source for the supply of current to the inverter and comprises, connected in series, a rectifier, a capacitor, an inducter and a field effect transistor, the inverter being connected in parallel with said capacitor so that current supplied from the rectifier to the inverter is drawn through said inductor by said fied effect transistor, there being provided a chopper oscillator for controlling conduction of said field effect transistor and semi-conductor means connected to said oscillator and responsive to the current in said field effect transistor so that said oscillator is inhibited to terminate conduction of said field effect transistor when the current therethrough exceeds a predetermined value, whilst the inverter comprises a bridge network of field effect transistors and an oscillator adapted to supply square wave switching pulses to the bridge transistors, whereby the bridge network affords an output current of alternating square pulses of current of equal duration for driving the lamp.

Compl. Specn. 18 pages. Drgs. 5 sheets.

CLASS : 206-G. 156534.

Int. Cl. H 03 d 1|00.

APPARATUS FOR MONITORING THE INTEGRITY OF A CONVEYOR BELT CARRYING ANTENNAS REPRESENTATIVE OF CONVEYOR BELT INTEGRITY.

Applicant : THE B.F. GOODRICH COMPANY, 277 PARK AVENUE, NEW YORK, NEW YORK-10017, UNITED STATES OF AMERICA.

Inventor : 1. LYLE MARTIN HAYLETT.

Application No. 891|Cal|82 filed July 30, 1982.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

10 claims

Apparatus for monitoring the integrity of a conveyor belt carrying antennas representative of conveyor belt integrity comprising

signal generating means for generating a transmitter signal for transmission to such antennas and a reference signal such signals having a selected phase relationship receiver means for receiving such transmitter signals coupled thereto by such a antennas, whereby such antennas effect modulation of such transmitter signal in periodicity coupling the same to said receiver means and said receiver means including demodulating means for demodulating such modulated transmitter signals with respect to such reference signal as such modulated transmitter signals are received via respective antennas

Compl Specn 34 pages Drgs 3 sheets

CLASS 206G 156535

Int Class H03k 19|20, 7|08

"A LOGIC CONTROL DEVICE FOR GENERATING PULSE-WIDTH-MODULATED PATTERN ADAPTED FOR A SMOOTH SWITHCH OVER TO A SIX STEP MODE OF OPERATION OF INVERTER SYSTEMS

Applicant COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH RAFI MARG NEW DELHI 110001 INDIA AN INDIAN REGISTERED BODY INCORPORATED UNDER THE REGISTRATION OF SOCIETIES ACT (ACT XXI OF 1860)

Inventor GANESH NARAYAN ACHARYA UDAYA GIRI MADHAVA RAO SAMPAT SINGH SHEKHAWAT AND RAHUL VERMA

Application for patent No 92|Del|80 filed on 29th December, 1980

Complete Specification left on 29th March 1982

Appropriate Office for opposition proceedings (Rule 4 Patents Rules, 1972) Patent Office Branch New Delhi-110005

4 claims

A logic control device for generating pulse width modulated pattern adapted for a smooth switch over to a six step mode of operation of inverter systems comprising a voltage control oscillator a set of dividers connected to the output of said voltage control oscillator, means for generating triangular carrier waves with a constant peak to peak amplitude connected to said frequency dividers means for generating three identical reference bipolar sine waves with 120° phase shift from the output frequency of the voltage control oscillator said bipolar sine wave generating means being connected to said dividers, comparator means connected between said bipolar sine wave generating means and said triangular carrier wave generating means for comparing the sine waves and the triangular waves and for obtaining an output of pulse width-modulated pattern and twin circuit connected to said comparator means for processing said output pulses for automatic smooth switch over from the pulse width modulated mode to a six step mode

(Provisional Specification 4 pages Complete Specification 9 pages Drawing 2 sheets)

CLASS 128A G 156536

Int Class A47k 10|00

"A BONDED FIBROUS WEB MATERIAL SUITABLE FOR USE AS A DISPOSABLE MEDICAL TOWEL'

Applicant THE DEXTER CORPORATION A CORPORATION ORGANISED UNDER THE LAWS OF THE STATE OF CONNECTICUT UNITED STATES OF AMERICA OF ONE ELM STREET WINDSOR LOCKS CONNECTICUT, UNITED STATES OF AMERICA

Inventors CHARLES EDWARD SNYDER AND COLIN ELSTON

Application for Patent No 359|Del|81 filed on 5th June 1981

Appropriate Office for opposition proceedings (Rule 4 Patents Rules 1972) Patent Office Branch New Delhi 110005

11 Claims

A bonded fibrous web material suitable for use as a disposable medical towel and exhibiting rapid rewettability coupled with high wet abrasion resistance comprising a fibrous non woven web material saturation bonded with a dispersion of a cross linkable binder of the kind such as herein described, said bonded web having a wet abrasion loss of less than 40 percent an absorbent holding capacity in excess of 300 per cent and a cytotoxicity level of zero said binder dispersion containing a surface active agent of the kind such as herein described having a cytotoxicity level of zero at a concentration of 2 percent by weight based on the solids within the binder dispersion

(Complete Specification 25 pages)

CLASS 191 156537

Int Class B41j 29|08

A REMOVABLE PROTECTIVE CASING FOR A TYPEWRITER

Applicant DEBENDRA NATH CHATTERJEE, AN INDIAN NATIONAL OF C 233 SECTOR A MAHANAGAR LUCKNOW 226 006, INDIA

Inventor DEBENDRA NATH CHATTERJEE

Application for Patent No 371|Del 81 filed on 11th June, 1981

Complete specification left on 13th September, 1982

Appropriate office for opposition proceedings (Rule 4 Patents Rules, 1972) Patent Office Branch New Delhi-5

4 Claims

A removable protective casing for a typewriter comprising a base member having rigid characteristics and on which the typewriter is adapted to be supported a cover provided with said base member said cover member consisting of a flexible sheet secured to the distal end of said base member, said flexible sheet having a preformed shape consisting of a back front upper and side walls so as to cover the typewriter when not in use said walls of the cover extending to the base member when the cover is in its closed position a zip fastener for closing the cover along with the base member, a locking latch on the zip fastener and straps for folding the cover folded when the typewriter is in use

(Provisional specification 6 pages)

(Complete specification 8 pages Drawing 1 sheet)

CLASS 55F 156538

Int Cl A61k 19|00

PROCESS FOR PREPARING A MICROCAPSULES CAPABLE OF BEING RECONSTITUTED BY ADDITION OF WATER TO PHARMACEUTICAL SUSPENSION OF BACAMPICILLIN'

Applicant PFIZER INC A CORPORATION ORGANIZED UNDER THE LAWS OF THE STATE OF DELAWARE UNITED STATES OF AMERICA OF 235 EAST 42ND STREET NEW YORK STATE OF NEW YORK UNITED STATES OF AMERICA

Inventor MORGAN LEE BEATTY

Application for Patent No 405 Del|81 filed on 23rd June, 1981

Appropriate office for opposition proceedings (Rule 4, Patents Rule 1972) Patent Office Branch, New Delhi-110005

8 Claims

A process for preparing a microcapsules capable of being reconstituted by addition of water to yield a pharmaceutical suspension of bacampicillin acid addition salt microcapsules in an aqueous suspension medium, which process comprises the steps of :

(a) coating a multiplicity of particles of a pharmaceutically acceptable, water-soluble acid addition salt of bacampicillin with a coating consisting essentially of a mixture of ethyl cellulose and a pharmaceutically acceptable, water-soluble or water-permeable filler material as herein described in a weight ratio of from 1.5 . 1 to 2 : 1, thereby forming a multiplicity of said microcapsules; and

(b) admixing said microcapsules with a plurality of pharmaceutically acceptable suspension vehicle ingredients.

With said vehicle ingredients being such that the pH of the aqueous suspension medium in said reconstituted pharmaceutical suspension is at least 6.9.

Compl. specn. 21 pages.

CLASS : 50E 156539

Int. Cl. : F 25 b 3|00.

MOTOR COMPRESSOR UNIT FOR REFRIGERATORS.

Applicant : NECCHI SOCIETA PER AZIONI A COMPANY ORGANIZED UNDER THE LAW OF THE ITALIAN REPUBLIC OF VIA RISMONDO 78-PAVIA, ITALY.

Inventor : ALFREDO BAR.

Application for Patent No. 406|Del|81 filed on 24th June, 1981.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, New Delhi-110005.

2 Claims

A motor-compressor unit for refrigerators disposed within a hermetically sealed container which comprises a body resiliently supported in said container, a stator mounted on said body, a rotor rotating in said stator and connected to one end of a crankshaft, the other end of said crankshaft being connected to a piston located within a cylinder whereby the rotation of said rotor transmitted through said crankshaft drives said piston, the cylinder in which said piston is located and its respective cylinder head being defined by said body, characterised in that said unit incorporates only a single silencer chamber provided in the gas delivery side of said unit as a minimal radial extension of that portion of the said body, a suction chamber being provided in said cylinder head with a feed tube for refrigerant gas in direct communication with said suction chamber, said tube fulfilling the function of a further silencer, said stator being mounted on said body through the medium of two supporting columns, said supporting columns being located on said body in diametrically opposite positions about the centre of rotation of said rotor in proximity to the outer periphery of said body.

Compl. specn. 7 pages. Drg. 3 sheets.

CLASS : 28C 156540

Int. Cl : F 23 b 7|00.

COMBUSTION APPARATUS WITH A BURNER FOR PRODUCING A COMBUSTION MIXTURE IN A COMBUSTION SYSTEM.

Applicant : KLOCKNER-HUMBOLDT-DEUTZ AKTIENGESELLSCHAFT, OF DEUTZ-MULHEIMER-STRASSE 111, 5000 KOLN 80, WEST GERMANY, A GERMANY, COMPANY.

Inventors : HERBERT DEUSSNER, HORST HERCHENBACH, HUBERT RAMESOHL AND WOLFGANG BREIDENSTEIN.

Application for Patent No. 420|Del|81 filed on 30th June, 1981.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, New Delhi-110005.

15 Claims

Combustion apparatus with a burner for producing a combustion mixture in a combustion system, the combustion system comprising the burner and a combustion chamber, particularly the combustion chamber of a rotary tube kiln, the burner comprising a guide tube for introducing solid fuels into the combustiton chamber, wherein the guide tube and|or at least one other tube for introducing primary air, extending parallel with and sorrounding the guide tube, both are ending at a nose in the combustion chamber in a plurality of outflow openings, wherein the outflow openings are limited at least partially by means of bottle-neck bars arranged within at least one of said tubes to maintain best mixing conditions for the introduced solid fuels and primary air with hot secondary air from the combustion chamber in front of the outlet openings of the burner.

Compl. specn. 15 pages. Drg. 3 sheets.

CLASS : 169 A 156541

Int. Cl. : E41c 7|00.

FIREARMS WITH RE-CHARGEABLE MAGAZINE.

Applicant : THE SECRETARY OF STATE FOR DEFENCE IN HER BRITANNIC MAJESTY'S GOVERNMENT OF THE UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND, OF WHITEHALL, LONDON SW1A 2HB, ENGLAND, A BRITISH CORPORATION SOLE.

Inventors : NORMAN TREVOR BRINT & LEON JOHN WILLIAMS.

Application for Patent No. 428|Del|81 filed on 3rd July, 1981.

Convention date 14th July, 1980|8022931|(U.K.).

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, New Delhi-110005.

7 Claims

A firearm including a body having a magazine casing secured thereto, the casing holding a magazine in which one or more rimmed rounds of ammunition may be stacked each in contact with an adjacent round; resilient magazine bias means provided in said magazine, a breech opening in said body through which a round of ammunition may be inserted into the magazine, the breech opening defining transverse guide means through which a round can be inserted in a direction transversely of the barrel axis against the action of the magazine bias means, and restraining means which are effective on subsequent forward movement of the inserted round to restrain the round in the breech against the action of the magazine bias means; a catch mounted on the magazine casing which can assume a locking position in which it prevents return of a round forwardly located in the breech to a position in which it can re-enter the transverse guide means; further guide means in the body by which a round in the breech can be guided in a direction transversely of the barrel axis and rearwardly into the magazine against the magazine bias means on insertion of a further round into the breech; the catch being effective to keep separate the rims of one round and a subsequently inserted round during the insertion of the subsequently inserted round, whereby the subsequently inserted round when engaged in the breech has its rim forward of the rim of the said one round.

Compl specn. 19 pages. Drg. 3 sheets.

CLASS : 10A 156542

Int. Cl. : F42b 9|20.

TRAINING ROUND OF AMMUNITION INCORPORATING A CONSUMABLE BULLET FOR USE IN AN AUTOMATIC FIREARM.

Applicant : THE SECRETARY OF STATE FOR DEFENCE IN HER BRITANNIC MAJESTY'S GOVERNMENT OF THE UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND, OF WHITEHALL, LONDON, SW1A 2HB, ENGLAND, A BRITISH CORPORATION SOLE.

Inventors : JOHN MURRAY AND ROBERT WILLIAM TOBIAS.

Application for Patent No 431 Del 31 filed on 6th July, 1981.

Convention date 18th July, 1980|8023525 (U.K.).

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, New Delhi-110005.

9 Claims

A round of ammunition for use in training having a cartridge case containing an explosive charge and a bullet fitted to seal the cartridge case, the bullet comprising a core of polyurethane foam and an external skin of unfoamed polyurethane

Compl. specn. 8 pages.

CLASS 135A & 91 156543

Int. Cl : G05d 13|00

AN ELECTROHYDRAULIC SPEED GOVERNING OR CONTROLLING SYSTEM FOR TURBO-GENERATORS OR TURBO-ALTERNATORS

Applicant : BHARAT HEAVY ELECTRICALS LTD., OF 18 20 KASTURBA GANDHI MARG, NEW DELHI-110001, INDIA, AN INDIAN COMPANY

Inventors : DEVALRAZU SREE MAHA VISHNU, RANGA SRINIVASA VARADHAN MADHIRA KRISHNAMURTHY & SUGAMALAN MOHAN CHANDRA PILLAI

Application for Patent No 434|Del|81 filed on 8th July, 1981.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, New Delhi-110005.

5 Claims

An electro-hydraulic system for governing or controlling the speed of a turbo-generator or turbo-alternator comprising a combination of an electric transducer drivingly connected to the shaft of the turbine for sensing the speed of the said shaft a speed measuring unit connected in series with the electric transducer for producducing an output only when there is an error or variation from the predetermined speed of the turbine shaft, a phase advance unit connected in series with the speed measuring unit for producing an output voltage which is a derivative function of the error signal or voltage produced by the speed measuring unit a summing amplifier connected through a dead band unit and a droop set unit to the phase advance unit, for receiving a first input from the output of the speed measuring unit modified by the said dead band unit and the said droop set unit, a second input from a dither oscillator and a third input from a load set point unit, one or more electrical actuators connected to the output side of the measurement summing amplifier and a hydraulic system connected to the said actuator or actuators on one side and the steam inlet valve of the turbine on the other side and adapted to be actuated for effecting opening or closure of the said steam inlet valve.

Compl specn. 12 pages Drg. 1 sheet.

CLASS : 32 I 156544

Int. Cl. C 08 F 1|00

A PROCESS FOR THE PRODUCTION OF COPOLYMERS.

Applicant : IMPERIAL CHEMICAL INDUSTRIES PLC, OF IMPERIAL CHEMICAL HOUSE, MILLBANK, LONDON SW1P 3JF, ENGLAND, A BRITISH COMPANY.

Inventor : BROOKS HERBERT|WAITE FREDERICK ANDREW.

Application for Patent No. 521|Del|1981 filed on 17th August, 1981.

Convention date 17th September, 1980|8030043|(U.K.).

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, New Delhi-110005.

17 Claims

A process for the production of a copolymer from a mixture comprising (i) a monomer selected from alkylstyrenes in which the alkyl group contains from 3 to 6 carbon atoms, the acrylic and methacrylic acid esters of aliphatic monohydric alcohols containing from 6 to 18 carbon atoms, vinyl esters of aliphatic carboxylic acids containing from 6 to 18 carbon atoms and vinyl ethers of aliphatic monohydric alcohols containing from 6 to 18 carbon atoms; (ii) from 2% to 8% based on the total monomer mixture of acrylic acid or methacrylic acid; and (iii) from 0% to 25% based on the total monomer mixture of one or more monomers selected from the acrylic and methacrylic esters of aliphatic monohydric alcohols containing from 1 to 4 carbon atoms, 2-ethoxyethyl methacrylate, acrylonitrile, vinyl acetate and vinyltoluene, the process comprising the emulsion polymerisation in a wholly aqueous diluent as hereinbefore defined, of the said monomer mixture and being characterised by the following features in combination —

(a) the ratio of the total weight of monomer mixture which is polymerised in the process to the weight of liquid diluent is from 1 : 19 to 3 : 2 by weight;

(b) there is present in the reaction mixture an anionic surfactant of the kind such as herein described at a concentration in the range 3% to 20% of the total weight of monomer mixture which is polymerised;

(c) the reaction mixture is stirred at a temperature in the range 15–60°C for a period of from 6 to 10 hours in the presence of an inert gas atmosphere of the kind such as herein described;

(d) there is added to the reaction mixture, after the establishment of the inert gas atmosphere, in an amount of 0.05% to 1.0% based on the weight of monomer mixture a water-soluble initiator of the kind such as herein described which is effective at the chosen polymerisation temperature;

(e) there is added to the reaction mixture when polymerisation of the monomers is complete, in an amount of from 0.001% to 0.1% based on the weight of monomer mixture taken, a chain transfer agent of the kind such as herein described.

Compl specn. 25 pages.

CLASS : 70 B 156545

Int. Cl : B 01 k 3|00

ANODE ASSEMBLIES FOR ELECTROLYTIC CELLS

Applicant & Inventor : DR. RAMASWAMY THANGAPPAN, SENTHIL CHEMICALS, 161, VELACHERY ROAD, EAST TAMBARAM, MADRAS-600 059, TAMIL NADU.

Application No. 66 Mas|82 filed March 31, 1982.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Madras Branch.

5 Claims

Anode assembly for electrolytic cells having a corrosion resistant body made of valve metals such as titanium, tantalum, niobium, zirconium and tungsten and their alloys, the said body being in expanded or perforated welded mesh form or in tubular form, the said mesh having at least one tube of the respective metal welded or threaded theretot; at least one copper or aluminium rod fixed within the tubular body or within the said tube by means such as herein described, the surface of the said body having coated thereon by known means a thin layer of one or more of activating agents selected from manganese dioxide, lead dioxide platinum, platinum-iridium or oxides of ruthenium, iridium, rhodium, osmium, palladium along with oxides of titanium, tantalum and zirconium and traces of non-passivating oxides of antimony, bismuth or manganese.

Compl 12 pages; Drg. 5 sheets.

CLASS : 72-B 156546

Int. Cl. : C 06 c 1|02.

A PROCESS FOR THE PREPARATION OF A NEW INITIATING COMPOSITION FOR USE IN DETONATORS.

Applicant & Inventor : MILOMIR BOZOVIC, III, BULEVAR 100|1, 11070 NEW BELGRADE, YUGOSLAVIA.

Application No. 77|Mas|82 filed April 13, 1982.

Complete Specification left February 9, 1983.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Madras Branch.

2 Claims. No drawing.

A process for the preparation of a new initiating composition for use in detonators comprising the steps of mixing sodium azide solution in the range 1–10% concentration with an aqueous suspension of one or more oxynitro derivatives of resorcin, phenol, benzoic and phthalic acid in the range of up to 70% in relation to sodium oxide in the presence of a known cation poly-electrolyte such as herein described in the range 0.01 to 0.5%; and adding to the said mixture soluble lead salts, to result in the coprecipitation of compounds such as herein described.

Prov. 3 pages. Compl. specn. 13 pages.

CLASS : 35-E 156547

Int. Cl. : C 04 b 35|00.

A PROCESS FOR MANUFACTURING REFRACTORY CASSEROLES AND REFRACTORY CASSEROLES MADE THEREBY.

Applicant : CARBORUNDUM UNIVERSAL LTD., OF 28, RAJAJI SALAI, MADRAS-600 001, TAMIL NADU.

Inventor : LAKSHMINARAYAN RANGANATHAN.

Application No. 88|Mas|82 filed May 6, 1982.

Complete Specification left April 8, 1983.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Madras Branch.

11 Claims. No drawing.

A process for manufacturing refractory casserole comprising :

(a) making a mixture of a refractory material such as alumina and|or stabilised zirconia, recrystallised silicon carbide and carbon, the components being selected in a stoichlometric ratio,

(b) subjecting said mixture to conventional forming methods, hot or cold, to obtain the size and shape required in the finish refractory casserole, and

(c) firing the so shaped mixture at the end of step (b) with or without applying a protective layer of glaze material to harden the bond.

A refractory casserole whenever prepared according to the process claimed in any of the preceding claims.

Prov. 4 pages; Compl. specn. 6 pages.

CLASS : 131-B_2 156548

Int. Cl. : E 01 g 3|00.

A PNEUMATIC EARTH DISPLACEMENT SELF PROPELLED BORER.

Applicant & Inventor : MARKOVIC VLADIMIR, 61000, LJUBLJANA, YUGOSLAVIA, GLAVARJEVA 47.

Application No. 100|Mas|82 filed May 14, 1982.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Madras Branch.

3 Claims

A pneumatic earth displacement self propelled borer comprising a housing provided with a boring head, the housing accommodating a main piston and a steering piston with front and rear air chambers, characterised by an auxiliary piston located between the main piston and steering piston or located within the steering piston, said auxiliary piston being loaded by a spring of predetermined resilience; and air exit holes provided on the main and auxiliary pistons or on the main and steering pistons, whereby under normal working air pressure, the auxiliary piston remains in contact with the main piston to open the air exit holes and pressurise the front air chamber after pressurising the rear air chamber thus facilitating forward working of the borer, but under air pressure below a predetermined value the spring displaces the auxiliary piston away from the main piston to open the air exit holes sooner and thereby pressurise the front air chamber earlier, thus constraining the main piston to hammer the carrier of the steering piston for retracting the borer.

Compl. specn. 15 pages. Drg. 8 sheets.

CLASS : 129-(F+G) 156549

Int. Cl. : B 23 c 5|00.

A SIDE AND FACE MILLING CUTTER.

Applicant : WIDIA (INDIA) LIMITED, 8|9TH MILE, TUMKUR ROAD, BANGALORE-560 073 KARNATAKA.

Inventor : (1) HET RAM GUPTA, (2) NAGAPPA GOPAL SHARMA (3) AMITAVA SHYAM CHOUDHURY.

Application No. 112|Mas|82 filed May 21, 1982.

Complete Specification left June 9, 1982.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Madras Branch.

4 Claims

A side and face milling cutter comprising indexable inserts each held in a transverse adjustable groove provided in an angular member at one end thereof and clamped with a clamping wedge, the other end of the said member being received in a slot and having at least two opposed inclined surfaces acted upon by at least two screws, whereby the screws are operable to impart a thrust on the said surfaces to move the said member in either of two directions, thus constraining the insert in the groove to also move correspondingly.

Prov. 6 pages; Compl. specn. 8 pages. Drg. 2 sheets.

CLASS 201-C 156550

INT CI C 02 b (1|00 - 1|22)

B 01 d 15|00

A PACKAGL WATER TREATMENT PLANT

Applicants (1) SUBBAN RAMAN ALAGARSAMY, JOINT MANAGER, (PUBLIC HEALTH ENGINEERING DEPARTMENT), RICHARDSON & CRUDDAS (1972) LTD, 23, RAJAJI SALAI, MADRAS 600 001, TAMIL NADU & (2) RICHARDSON & CRUDDAS (1972) LTD 23, RAJAJI SALAI MADRAS-600 001, TAMIL NADU

Inventor SUBBAN RAMAN ALAGARSAMY

Application No 123 Mas|82 filled may 28 1982

Appropriate Office for Opposition Proceedings (Rule 4 Patents Rules 1972) Patent Office Madras Branch

5 Claims

A package water treatment plant comprising a first com partment containing a coke medium for receiving water f om a source and a second compartment for receiving the treat ed water leaving the coke medium characterised by a lid for first compartment said lid incorporating a shower or sprayer unit connectable to the said source for delivering a spray of water into the first compartment, the second compartment being provided with a drain pipe having one or more permeable capsules made out of bonded silica gel for filtering off fine suspended particles in the water

(Com 5 pages Drawg 1 sheet)

CLASS 48 A2 156551

INT CL H 01 b 1 00

A BUS BAR SYSTEM FOR SUPPLYING ELECTRIC CURRENT TO AN ELECTROTHERMAL OR ELECTRO-CHEMICAL SYSTEM OR APPARATUS

Applicant ALKALI METALS LIMITED UPPAL HYDERABAD 500 039 ANDHRA PRADESH

Inventor YERRAMILLI VENKATA SUBRAMANYA SATYANARAYANAN MURTHY

Application No 201 Mas|82 filled October 25 1982

Divisional to Patent application No 151703

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office Madras Branch

7 Claims

A bus bar system for supplying electric current to an electric thermal or electro chemical system or apparatus, com prising a plurality of modular capsules secured between pairs of distributors and the said syst [illegible] capsule having an outer casing of an [illegible] metal such as titanium or its alloy and an inner core of a light metal such a sodium potassium or lithium or one or more of their alloys, the opposed surfaces of the core and the casing in electrical contact with each other

(Com 11 pages Drwgs - 2 sheets)

CLASS 69-(G+I)

INT CL H 01 h (7|00 + 23|00)

A DEVICE FOR STARTING AND STOPPING ALL ELECTRICAL APPLIANCES AT A PRE-DETERMONED TIME AUTOMATICALLY

Applicant & Inventor ANNAMALI KALANETHI 20 A, PT STREET, MAKIES GARDEN MODRAS 600 006, TAMIL NADU

Application No 204|Mas 82 filled October 29, 1982

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules 1972) Patent Office Madras Branch

2 Claims

A device for automatic operation of Electrical appliances at a predetermined time comprising a base housing a time piece, and having mounted thereon, a vertical pole with a slidable horizontal arm having a switch connectable to the main supply and leading either to rotatable single pole single throw switch or a pair of single pole double throw switch provided on a universal socket having means for connecting the appliance thereto the arrangement being such that the said single throw or double throw switches are operable by the rotating alarm key of the time piece at a predetermined time to energise or de energise the device

Com - 6 pages, Drwgs - 2 sheets)

CLASS 152 F 156553

Int Cl B 01 j 1|00 C 08 b 25 00

C 09 k 3|00

A PROCESS FOR PREPARING PURIFIED ACQUEOUS DISPERSION OF XANTHAN GUM OF IMPROVED IN JECTIVITY AND FILTRABILITY

Applicant INSTITUT FRANCAIS DU PETROLE, OF 4, AVENUE DE BOIS PREAU 92506 RUEIL MALMAISON FRANCE

Inventors 1 MARGUERITE RINAUDO 2 MICHEL MILLAS 3 NORBERT KOHLER

Application No 1110 Cal|81 filled October 3, 1981

Appropriate Office for Opposition Proceedings (Rule 4 Patents Rules 1972) Patent Office Calcutta

9 Claims

A process for preparing purified aqueous dispersion of a xanthan gum (containing as impurities bacteria cell residues and microgels) of improved injectivity and filtrability characterized in that it comprises in the treatment of the aqueous dispersion of said gum with at least one Basidiomycete cellulase said aqueous dispersion having a pH from 3 to 7 and a concentration of alkali and or alkaline earth metal salts dissolved therein of at least 10 1 equivalent|liter the temperature of the process being maintained between 25° to 65°C and optionally precipitating in a known manner xanthan gum from there sultant aqueous dispersion of purified xanthan gum followed by separation of the gum in solid state and its drying

Compl Specn 27 pages Drg Nil

Class 40 F 136 C 156554

Int Cl B 29 f 3 01, B 30 b 11|24

AN APPARATUS AND METHOD FOR EXTRUDING ETHYLENE POLYMERS

Applicant UNION CARBIDE CORPORATION AT 270 PARK AVENUE NEW YORK STATE OF NEW YORK 10017 UNITED STATES OF AMERICA

Inventors 1 JOHN CLARK MILLER 2 ARCHIBALD LOUIS BURNETT

Application No 1247|Cal|81 filed November 10, 1981

Appropriate Office for Opposition Proceedings (Rule 4 Patents Rules 1972) Patent Office, Calcutta

18 Claims.

An apparatus for extruding low density, narrow molecular weight distribution, linear, ethylene polymers which comprises an extruder screw having a flight and having an inlet end and a discharge end and wherein the pitch ratio divided by the depth ratio is greater than 2|3.

Compl. Specn. 34 pages. Drgs. 2 sheets.

Class. 85-J. 156555.

Int. Cl. F 27 b 1|24.

A DEVICE FOR COOLING CONICAL WALL OF A SHAFT FURNACE.

Applicants : (1) GOSUDARSTVENNY SOJUZNY INSTITUT PO PROEKTIROVANIJU METALLURGICHESKIKH ZAVODOV, OF PROSPEKT MIRA, 101, MOSCOW, USSR AND

(2) VSESOJUZNY PO OCHISTKE TEKHNOLOGI-PROEKTNY INSTITUT PO OCHISTKE TEKHNOLOGICHESKIKH GAZOV, STOCHNYKH VOD I ISPOLCOVANIJ VTORICHNYKH ENERGORESURSOV PREDPRIYATY CHERNOI METALLURGI "VNIPICHERMETENERGOOCHISTKA", PROSPEKT LENINA 9, KHARKOV, USSR.

Inventors : 1. LEV DMITRIEVICH GRITSUK, 2. ANATOLY STEPANOVICH GORBIK, 3. DORINA BORISOVNA KUTSYKOVICH, 4. JURY IVANOVICH TSELUIKO, 5. ALEXANDR EFIMOVICH SUKHORUKOV.

Application No. 195|Cal|82 filed February 19, 1982.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

3 Claims

A device for cooling conical wall of a shaft furnace, comprising banks arranged along the furnace wall, each consisting of two courses of birebricks with semicircular hollow parts forming a channel adapted to receive a cooling pipe installed therein and having a gap between the firebricks filled with an expansion material, wherein adjacent banks define a spacing variable in size along the vertical extent of the bank in accordance with slope of the furnace wall and filled with refractory inserts

Compl Specn. 8 pages. Drg. 1 sheet.

CLASS : 31-C & 68-E 156556

Int. Cl. : G 05 f 3|00.

A THYRISTOR CONTROL CIRCUIT.

Applicant : SIEMENS AKTIENGESELLSCHAFT, OF BERLIN AND MUNICH, WEST GERMANY.

Inventor : 1. LOVRO VUKASOVIC.

Application No. 563|Cal|82 filed May 20, 1982.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

6 Claims

A thyristor control circuit in operable combination with a thyristor circuit made up of two groups of thyristors, each group comprising a plurality of thyristors coupled end-to-end, with cross-connections being provided between end-to-end, couplings in one group and end-to-end couplings in the other group such that a first current path is defined by thyristors of both groups and cross-connections interconnecting these thyristors, and a second current path which is anti-parallel to the first current path is defined by further thyristors of both groups and cross-connections interconnecting these thyristors, such that in each thyristor group the poling reverses after each end to-end coupling to which is connected one of said cross-connections, each thyristor in the thyristor arrangement being controlled by a thyristor control arrangement the transformer primary winding of which is inserted into, or provided by, one of said cross-connections.

Compl. specn. 12 pages. Drg. 2 sheets.

CLASS : 6-A_3 156557

Int. Cl. : F 01 n 7|00.

AN IMPROVED RECIPROCATING EXHAUSTER DRIVEN BY DIESEL ENGINE.

Applicant : CLAYTON DEWANDRE CO. LTD., OF P.O. BOX 9, TITANIC WORKS, LINCOLN, LN5 7JL, UNITED KINGDOM.

Inventor : 1. JOHN S. THISTLETON.

Application No. 575|Cal|82 filed May 20, 1982.

Convention dated 20th May, 1981 (8115548) U.K.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

6 Claims

A reciprocating exhauster for mounting on an engine casing to be driven by the said engine and comprising a pump member working in a cylinder body so as to define on opposite sides thereof an inlet chamber having an inlet for connection to a vacuum reservoir, and an exhaust chamber having an outlet fitted with an exhaust valve, and a valve arranged to permit fluid to flow from the inlet chamber to the exhaust chamber, the pump member and cylinder body being shaped to minimise the clearance volume of the exhaust chamber.

Compl. specn. 12 pages. Drg. 2 sheets.

OPPOSITION PROCEEDINGS

(1)

An opposition has been entered by the Dharamsi Morarji Chemical Co. Ltd. to the grant of a patent on application No. 155420 made by Projects and Developments India Limited.

(2)

The application for Patent No. 152317 made by M|s New Metal Foundries, in respect of which opposition was entered by The Associated Cement Companies Ltd. as notified in Gazette of India, Part III, Section 2 dated 21st July 1984, has been treated as withdrawn.

CLAIM UNDER SECTION 20(1) OF THE PATENTS ACT 1970

The claim made by Dresser U.K. Limited under Section 20(1) of the Patents Act 1970 to proceed the application for Patent No. 155608 in their name has been allowed.

PATENTS SEALED

151448 151517 152235 152526 152574 152837 152927 152929 152930 153030 153159 153212 153266 153292 153467 153478 153488 153489 153491 153502 153504 153517 153523 153525 153526 153573 153718 154130 154139 154141.

REGISTRATION OF ASSIGNMENTS, LICENCES ETC. (PATENTS)

Assignments, Licences or other transactions affecting the interests of the Original Patents have been registered in the following cases. The number of each case is followed by the names of the Parties claiming interests :

137945 POLLARD V-BELT LIMITED.

150320 MINERAL DEPOSITS LIMITED.

145749 AAR BROOKS PERKINS CORPN.

150562 K R W ENERGY SYSTEMS INC

142797 SATTLERWHITE INDUSTRIES INC.

141816 NUODEX INC

124558, 133066, 144675 KERR MCGEE CHEMICAL CORPORATION

127405, 127835, 128709 POLLARD SWORTH (UK) LIMITED.

143318 WESTERN GEAR CORPN

104041, 109154, 110650, 110990, 112524, 112371, 119874, 120329, 120297, 120613, 137753, 142355, 143450, 143884, 109724 STAR VALKMANN LIMITED.

111645, 122334, 131298, 136043, 136044, 135862, 125872, 125871, 125209, 137090, 137998, 139089, 140945, 149158 SANDVIK ASIA LIMITED

RENEWAL FEES PAID

126718 128018 135463 135743 135747 136023 136126 138036 138056 139185 139442 139539 140495 140583 141383 141620 141765 142466 142502 143063 143901 144019 144042 144217 144453 144549 144858 145246 145402 145617 145776 145818 146008 146050 146098 146365 146652 146753 146893 146907 147245 147631 147767 148220 148221 148472 148762 149077 149172 149349 149642 149947 150540 150761 150772 150916 150953 151357 151400 151456 151587 151737 152029 152051 152340 152528 152750 152751 152918 152944 152978 152988 153146 153148 153149 153156 153283 153317 153318 153353 153454 153529 153570 153575 153577 153603 153612 153613 153614 153617 153695 153701 153707 153714 153729 153730 154042

CESSATION OF PATENTS

134548 134550 134551 134553 134554 134557 134560 134564 134565 134567 134569 134573 134580 134584 134594 134597 134598 134599 134600 134607 134608 134609 134616 134624 134641 134644 134647 134654 134656 134663 134669 134670 134672 134673 134674 134677 134678 134681 134692 134693 134700 134713 134718 134719 134720 134721 134722 134736 134743 134749 134752 134753 134759 134760 134763 134765 134766 134772 134779 134780 134782 134788 134792 134793 134798 134799 134800 134810 134824 134839 134846 134848 134856 134857 134871 134873 134874 134877 134881 134882 134902 134910 134913 134914 134917 134929 134931 134956 134958 134962 134964 134968 134970 134973 134977 134978 134981 134989 134992 134998 135000 135004 135018 135029 135030 135043 135044 135046 135054 135056 135060 135061 135062 135057 135069 135085 135086 135089 135096 135103 135104 135108 135110 135118 135126 135127 135129 135130 135134 135137 135138 135140 135146 135147 135154 135179 135190 135213 135217 135218 135219 135232 135234 135235 135236 135237 135238 135253 135256 135257 135265 135270 135272 135278 135280 135283 135284 135302 135303 135320 135323 135324 135326 135332 135336 135338 135344 135349 135356 135357 135359 135362 135363 135366 135370 135384 135389 135390 135391 135402 135403 135406 135411 135414 135426 135436 135437 135441 135443 135444 135445 135449 135467 135473 135474 135475 135478 135479 135493 135495 135499 135503 135506 135508 135516 135518 135524 135540 135543 135544 135545 135547 135548 135550 135551 135558 135559 135562 135570 135572 135574 135582 135584 135586 135589 135599 135606 135629 135654 135662 135664 135666 135667 135668 135669 135670 135672 135685 135690 135696 135697 135698 135702 135708 135715 135717 135718 135727 135737 135738 135750 135751 135754 135756 135758 135762 135772 135776 135777 135787 135789 135792 135798

CANCELLATION PROCEEDINGS

(SECTION 51A)

An application made by TRANSELEKTRA for cancellation of the Registration of Design No (s) 155436 in class 3 in the name of Sureka International has been filed

REGISTRATION OF DESIGNS

The following design have been registered They are not open to inspection for a period of two years from the date of registration except as provided for in Section 50 of the Designs Act 1911

The date shown in the each entry is the date of registration of the design included in the entry

Class 1 No 155174 M/s Karnataka Consumer Products Limited Industry House 45 Fair Field Road, Bangalore-560 001 A Public Limited Company registered under the Indian Companies Act "Electrical Coiled Stove" 15th December, 1984

Class 1 No 155707 Bikrom Stainless Products, Mungekar Industrial Estate, Goregaon (East) Bombay-400 063 Maharashtra an Indian Sole Proprietory Firm. "Rice Server" 27th May, 1985.

Class 1 No 155708 Bikrom Stainless Products, Mungekar Industrial Estate Goregaon (East) Bombay 400 063, Maharashtra, an Indian Sole Proprietory Firm "Fruit Fork". 27th May, 1985.

Class 3 No 155490 Asian Advertisers, 20 Kala Bhavan, 3 Mathew Road Opera House, Bombay-400 004, Maharashtra, an Indian Partnership firm. "Mirror". 16th March, 1985.

Class 3 No 155760 Boston Appliances 41, Kiran Industrial Estate, Gr floor, M G Road Goregaon (West), Bombay-400 062 State of Maharashtra, an Indian Partnership Firm "Churner Mixer". 4th June, 1985

Class 3. Nos. 155377, 155378, 155379, 155380, 155381, 155382, 155383, 155384. Tobu Enterprises Private Limited, 8|29-Kirti Nagar Industrial Area, New Delhi-110015. India. An Indian Company. "Tricycle". 12th February, 1985.

Class 3. No. 155448. Vijay Enterprises, No. 32 Sembudoss Street, (2nd Floor), Madras-600 001. "Wheels for baby bicycles and baby tricycles". 28th February, 1985.

Class 3. No. 155498. Asian Advertisers, 20, Kala Bhavan, 3, Mathew Road, Opera House, Bombay 400 004, Maharashtra, an Indian Partnership Firm. "Ash Tray". 16th March, 1985.

Class 3. No. 155489. Asian Advertisers, 20, Kala Bhavan, 3, Mathew Road, Opera House, Bombay 400 004, Maharashtra. an Indian Partnership Firm. "Ash Tray". 16th March, 1985.

Class 3. No. 155758. Minn Trading Corporation, 5-B, Kanchan Villa, Goraswadi, Malad (West), Bombay-400 064, Maharashtra State, an Indian Partnership Firm "Safety Cap Pourer With Key". 4th June, 1985.

Class 3. No. 155551. Samir Baran Dutta, Indian National trading as SAS POLYMERS, 305|1, Nagendra Nath Road, Calcutta-700 026, West Bengal, India. "Cylinder Pump of Tubewell". 4th April, 1985.

Class 3. No. 155552. Dr. Braja Gopal Halder, Indian National, 60, Dr. Sundari Mohan Avenue, Calcutta-700 014, West Bengal, India. "Pessary". 4th April, 1985.

Class 3. No. 155748. The Tata Oil Mills Company Limited, Bombay House, Homi Mody Street, Fort, Bombay-400 023, Maharashtra, India, a company registered under the Indian Companies Act, 1913. "Oil Container". 31st May, 1985.

Class 3. No. 155347. Electronic Consortium Private Limited a Company incorporated under the Companies Act, at 5A|1, 2, 3, Ansari Road, Darya Ganj, New Delhi-110 002, India. "Television Cabinet". 30th January, 1985.

Class 12. No. 155175. M|s Karnataka Consumer Products Limited Industry House, 45, Fair Field Road, Bangalore-560 001. A Public Limited Company registered under the Indian Companies Act. "Electrical Coiled Steve". 15th December, 1984.

Class 12. No. 155363. Universal Luggage Manufacturing Company Private Limited (an Indian Company) at Building B, Shah Industrial Estate. Saki Vihar Road, Bombay-400 072, Maharashtra State, India. "Luggage". 5th February, 1985.

R. A. ACHARYA
Controller General of Patents, Designs and Trade Marks

PRINTED BY THE MANAGER, GOVERNMENT OF INDIA PRESS, FARIDABAD AND PUBLISHED BY THE CONTROLLER OF PUBLICATIONS, DELHI, 1985